

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	13826611	(computer or device or pda or pc or computing or unit or stb or ird or (set adj top) or (lap adj top) or processor or cpu or processing or (work adj station) or (media adj center) or client or server or PCTV)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 12:38
S2	211059	(video or display or displaying or RGB or VGA or SVGA or HD or HDTV or (s adj video)) near2 (out or output or port or 'I/O' or connection or connector or plug)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 16:33
S3	264900	(RF or (radio adj frequency) or antenna or coax or coaxial or FM or (blue adj tooth) or (W adj lan) or remote or wireless or (wi adj fi) or cordless) near4 (switch or converter or KVM or porter or router or switcher or switching or routing or selecting or connect or connector or connecting or connection or selects or selector or selection or porting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 16:29
S4	31918	S3 with (video or display or displaying or RGB or VGA or SVGA or HD or HDTV or (s adj video) or monitor or television or TV or view\$3 or crt or lcd or projector or vcr or pvr)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 18:30
S5	268191	(video or monitor or television or tv or display or displaying or RGB or VGA or SVGA or HD or HDTV or (s adj video)) near2 (out or output or port or 'I/O' or connection or connector or plug)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 16:35
S6	4536	(S1 near6 S5) and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 16:51
S7	1786	S6 and ((voltage near2 conver\$5) or (ac near2 dc) or (voltage near2 control\$4) or amp or amplifier or agc or (gain adj control) or (op adj amp))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 16:58

S8	1518	S6 and ((voltage near2 conver\$5) or (ac near2 dc)or (voltage near2 control\$4) or amp or amplifier or agc or (gain adj control) or (op adj amp)) and (@ad<="20020105" or @prad<="20020105" or @rlad<="20020105" or @ptad<="20020105")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 18:31
S9	400	S8 and ("725"/.ccls. or "709"/.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 17:01

S16	7	S9 and 709/238,223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 12:17
S17	824	(RF near2 modulator) near7 S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 12:20
S18	8008143	(computer or pda or pc or computing or unit or stb or ird or (set adj top) or (lap adj top) or processor or cpu or processing or (work adj station) or (media adj center) or client or server or PCTV)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 12:20
S20	620	(RF near2 modulator) near7 S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 13:09
S21	72	S20 same S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 12:24
S22	43	S21 and ((voltage near2 conver\$5) or (ac near2 dc) or (voltage near2 control\$4) or amp or amplifier or agc or (gain adj control) or (op adj amp)) and (@ad<="20020105" or @prad<="20020105" or @rlad<="20020105" or @ptad<="20020105")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 13:00
S23	36657	(S18 near4 (in or input)) same ((video or coax or coaxial or RF or (radio adj frequency) or TV or television or (s adj video) or digital or fiber or bnc) near4 (out or output))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 13:06

S24	225346	((voltage near2 conver\$5) or (ac near2 dc) or (voltage near2 control\$4) or amp or amplifier or agc or (gain adj control) or (op adj amp)) with ((select or selection or selecting or control or controlling or selector or controller) near3 (signal or message or value or switch or command or instruction or enable or input))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 13:06
S25	5380	S23 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 12:40
S26	902	S25 and ((digital or sampled or binary or discrete) near2 (RF or radio or frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 13:09
S27	167	S25 and ((discrete) near2 (RF or radio or frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 13:09
S28	6	(((radio adj frequency) or RF near2 modulator) or (video adj conver\$5)) and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 13:12

S31	36691	(S30 near4 (in or input)) same ((video or coax or coaxial or RF or (radio adj frequency) or TV or television or (s adj video) or digital or fiber or bnc) near4 (out or output))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 12:42
S32	225454	((voltage near2 conver\$5) or (ac near2 dc) or (voltage near2 control\$4) or amp or amplifier or agc or (gain adj control) or (op adj amp)) with ((select or selection or selcting or control or controlling or selector or controller) near3 (signal or message or value or switch or command or instruction or enable or input))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 17:59
S33	5387	S31 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 12:45
S34	8	S33 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:43
S35	2	("4949248").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 14:43
S37	91087	(kvm or (video near2 switch\$4) or (RF adj modulat\$5) or (frequency adj modulat\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 17:58
S38	253649	((voltage near2 (amp or amplifier or gain or attenuate or sampI\$4 or conver\$5)) or (ac near2 dc) or (voltage near2 control\$4) or agc or (gain adj control) ) with ( switch or transistor or logic or switches or switching or ttl or trl or ((select or selection or selcting or control or controlling or selector or controller) near3 (signal or output or value or switch or command or instruction or enable or input or transistor)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 18:07

S39	4054743	(control or controlling or select or selection or selector or enable or enabling or multiplex\$3 or converted or controller or logic or transistor or selective or choosen or selected or enabled or preffered or correspond\$4 or accord\$4) near4 (signal or value or selection or input or control or bit or word or data or information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 19:19
S40	262	("6147682" "5376946" "5428367" "4365192" "4588187" "4848335" "5027212" "5245558" "5302956" "5594467" "5610663" "5938770" "5949491" "5959678" "6111371" "6125455" "6172492" "6266306" "6418097" "4785472" "4569084" "4804931" "5790786" "4821122" "4893288" "4907085" "4998165" "5530421" "5703582" "5751868" "5835136" "5896177" "5917468" "5929601" "6112241" "6158864" "6233236" "3796829" "4275415" "4280139" "4320536" "4346346" "4395777" "4402223" "4404551" RE31441 "4421417" "4449832" "4453421" "4463382").pn. ( "4475558" "4477841" "4491832" "4496981" "4523185" "4564902" "4584650" "4601010" "4614196" "4616114" "4630313" "4760382" "4764726" "4771456" "4772948" "4777633" "4782449" "4805230" "4825028" "4835372" "4837580" "4837623" "4885632" "4903227" "4904981" "4907079" "4918391" "4918491" "4923024" "4928172" "4928309" "4964018" "4990904" "4996598" "5003385" "5008754" "5018179" "5019905" "5025808" "5063361" "5029013" "5203028" "5206833" "5216514" "5239420" "5247310" "5256910" "5276320" "5285265" "5291187").pn. ( "5294936" "5295485" "5296921" "5298918" "5315396" "5319355" "5329273" "5345168" "5347164" "5349446" "5353063" "5359543" "5379049" "5382982" "5390674" "5402129" "5404437" "5408249" "5417222" "5418575" "5431134" "5438376" "5455774" "5482469" "5488393" "5488690" "5493179" "5495282" "5502487" "5506400").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 18:19

S42	10192	709/238-244.ccls. or 725/74,78,80, 82,85.ccls. or 345/204,213,156,10, 23.ccls. or 715/718.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 18:28
S43	31071	S37 same S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 19:20
S44	249	S43 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 18:29
S46	25184198	(@ad<="20020105" or @prad<="20020105" or @rlad<="20020105" or @ptad<="20020105")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 18:31
S50	10	S42 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 19:15
S51	199	S44 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 19:16
S53	4174407	(control or controlling or select or selection or selector or enable or enabling or multiplex\$3 or converted or controller or logic or transistor or selective or chosen or selected or enabled or preferred or correspond\$4 or accord\$4) near4 (gate or signal or value or selection or input or control or bit or word or data or information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 19:48
S54	31331	S37 same S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 19:20

S56	251	S54 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 19:21
S57	200	S56 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 19:37
S58	756	(multiple or plurality) near2 (computer or server or PC or (desk adj top)) with ((one or single or shared or selective or targeted or sharing or shares) near3 (display or monitor or screen or viewer or television or TV))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 19:42
S60	26	S58 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 19:47
S61	563	S58 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 19:47
S62	20	S60 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 19:47
S63	671	S58 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 19:48
S64	164	S58 same S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 19:49

S65	122	S64 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 20:33
S66	7	S65 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 19:50
S67	8	S65 and (rf or (radio adj frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 20:45
S70	3	S65 and (keyboard adj3 video adj3 mouse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 20:48
S71	12	("5051720"   "5793999"   "5913034"   "5923103"   "5968116"   "6199180").PN. OR ("6557170"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/27 20:49
S76	206	kvm near3 switch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 19:50
S78	31	S76 and (rf or (radio adj frequency) or coax or coaxial or ntsc or pal or secam)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 19:31
S79	25184198	(@ad<="20020105" or @prad<="20020105" or @rlad<="20020105" or @ptad<="20020105")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 19:27
S80	13	S78 and S79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 19:27

S81	756	(multiple or plurality) near2 (computer or server or PC or (desk adj top)) with ((one or single or shared or selective or targeted or sharing or shares) near3 (display or monitor or screen or viewer or television or TV))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 19:35
S82	2	S80 and S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 19:30
S83	65	S76 and (rf or (radio adj frequency) or coax or coaxial or ntsc or pal or secam or (analogue near3 (color or ouput or input or video or signal)) or (analog near3 (color or ouput or input or video or signal)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 19:51
S84	10	S83 and S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 19:34
S85	2	S84 and S79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 19:34
S86	13447	(multiple or plurality (more adj than) or many or several or two or three or four or five or six or "2" or "3" or "4" or "5" or "6") near4 (computer or (media adj center) or (computing adj unit) or laptop or (micro adj computer) or (computing adj device) or pda or (e adj book) or (graphical adj tablet) or (electronic adj book) or video or camcorder or (mini adj dv) or server or (personal adj computer) or (work adj station) or (micro adj computr) or mcintosh or apple or PC or (desk adj top)) with ((one or single or unique or "a" or shared or selective or selected or dedicated or master or targeted or sharing or shares) near3 (display or monitor or screen or viewer or television or TV))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 19:48

S87	708	kvm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 19:50
S88	201	S87 and (rf or (radio adj frequency) or coax or coaxial or ntsc or pal or secam or (analogue near3 (color or ouput or input or video or signal)) or (analog near3 (color or ouput or input or video or signal)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 19:51
S89	40	S88 and S86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 19:51
S90	23	S89 and S79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 17:47